




Electronic-key reading
module
ELM 611-02 AG
210004916-01

Product description

Electronic key reading module as a contactless access control system with LED function.

As reading unit of electronic keys or cards for opening doors, gates etc.

Suitable for:

- Stand-alone operation

A maximum of 9 electronic keys or cards can be used.

- Operation with entrance controller EC 602-...

A maximum of 899 electronic keys or cards can be used.

Programming takes place using PRI 602-... USB or PRI 602-... and PRS 602-...

Specifications

Operating voltage:	12 V AC or 12–30 V DC
Operating current:	max. 120 mA or max. 50 mA
Contact type:	contact 24 V, 2 A
Protection system:	IP 54
Ambient temperature:	–20 °C to +55 °C
Dimensions (mm) W x H x D:	99 x 99 x 27

Article information

Article designation	Article description	Colour/Material	KG	SAP article no.
ELM 611-02 AG	Electronic-key reading module	Anthracite grey	B	210004916-01

Accessories

Article designation	Article description	Colour/Material	KG	SAP article no.
EK 600-0/03	Electronic key	Black	B	210008424-00
EK 600-0/10	Electronic key	Black	B	210008425-00
EKC 600-0/03	Electronic key card	Black	B	210008422-00
EKC 600-0/10	Electronic key card	Black	B	210008423-00
Vario 611 AG	Touch-up applicator	Anthracite grey	0	210007124-00




Electronic-key reading
module
ELM 611-02 AG

210008361

Page 2


Spare parts				
Article designation	Article description	Colour/Material	KG	SAP article no.
ELM 600/611-...	Terminal block	Black	E	200029924-00
ELM 611-... AG	Screen frame	Anthracite grey	E	210006029-00
Vario 611	Sealing frame modules	Grey	E	210007484-00



Electronic-key reading
module
ELM 611-02 AG

210008361

Page 3





Electronic-key reading
module
ELM 611-02 AG

210008361

Page 4

ELM 611-02 Electronic-key reading module	Product information	414 kB	Download
	System manual		Download
	Additional information	43,6 kB	Download