



## AL 10/1

### Tonsäule

Kompakte Tonsäule mit hohem Wirkungsgrad. Die Bestückung mit zwei 87 mm-Breitbandchassis bewirkt eine leichte vertikale Bündelung.

Aufgrund des witterfesten Polyamid-Gehäuses kann der AL 10/1 im Innen- oder Außenbereich bei mittleren Störpegeln eingesetzt werden.

Die Montage erfolgt über einen im Lieferumfang beinhalteten U-Bügel. Die Kabeleinführung ist über eine M12-Verschraubung gelöst.


### Sound column

*Compact, high-efficiency sound column. The two 87 mm full-range chassis create an easier vertical focussing.*



*Owing to the weatherproof polyamide enclosure the AL 10/1 can be used in-side or outside with medium interference levels.*

*The unit is mounted via a U-type bracket which is provided.  
Cable entry is via a M 12 screw connection.*

### AL 10/1



### MB 1/2



Technische Daten*	Niederohmig/Low Impedance	100V Version
Technical Specifications*	AL 10/1-4	AL 10/1-T12
Nenn-/Musikbelastbarkeit: Load rating / music power:	12/15 W	12 W
Impedanz / Impedance:	4 Ω	-
Übertrager / Transformer:	-	T12: 12/6/3/1,5 W
Schalldruckpegel / SPL:	1W/1m: 94 dB 12 W: 105 dB 12 W (8 kHz): 110 dB	1W/1m: 94 dB 12 W: 105 dB 12 W (8 kHz): 110 dB
Übertr.bereich / Freq.range (-3 dB): Übertr.bereich / Freq.range (-10 dB):	220 - 16 000 Hz 170 - 18 000 Hz	220 - 16 000 Hz 170 - 18 000 Hz
Abstr.winkel / Transm.angle (-6 dB): Horizontal: Vertical (3 m):	1/4/8 kHz: 220°/60°/60° 1/4/8 kHz: 140°/100°/30°	1/4/8 kHz: 220°/60°/60° 1/4/8 kHz: 140°/100°/30°
Bestückung / Component set: Material / Material:	2 x PM 87-8 M Gehäuse: Kunststoff, Lochblech: Aluminium / housing: plastic, grille: aluminium	2 x PM 87-8 M Gehäuse: Kunststoff, Lochblech: Aluminium / housing: plastic, grille: aluminium
Nettogewicht / Net weight: Anschluss / Connection:	1,6 kg 5-adriges Kabel (750 mm) / 5-core cable (750 mm)	2,0 kg 5-adriges Kabel (750 mm) / 5-core cable (750 mm)
Zubehör / Accessories:	incl. U-Bügel / incl. u-type bracket MB 1/2: Mastbefestigung / mast attachment (70-210 mm)	incl. U-Bügel / incl. u-type bracket MB 1/2: Mastbefestigung / mast attachment (70-210 mm)