

JUNG

KNX push-button modules

The new generation



More variety across the ranges, simple operation

The push-button modules with integrated bus coupling unit are already well-known from the Flat Design range. This flexible technology has now also been transferred to further switch ranges: they are available in AS 500, A 500, A plus, A creation, CD 500 and CD plus as 1- to 4-gang in standard or universal versions. The operation is carried out via the large push-buttons which are available in a neutral format or with symbols. Thanks to this new versatility across the ranges, the KNX push-button modules can be optimally integrated in existing electrical installations.



AS 500 in white, also available in ivory



A 500 in lacquered aluminium, also available in white



A plus in chrome (aluminium cover), 4 further frame colours available



A creation in soft-white (aluminium cover, glass frame in 4 further colours, duroplastic frame in 3 colours)



CD 500 in white, also available in ivory, light grey, grey and black



CD plus in white with application elements in granite, two further colours available for frames and 12 further colours for application elements

Push-button modules with integrated bus coupling unit

Cover kit with symbols, CD-ranges



Cover kit for CD-ranges



Standard



Universal



Push-button extension module

Cover kit for A-ranges




Cover kit with symbols, A-ranges



Simple installation thanks to integrated bus coupling unit

To enable a simple installation, the new generation of KNX push-button modules is already fitted with a bus coupling unit. The push-button extension module makes e.g. a 4-gang push-button module universal into an 8-gang unit both quickly, simply and cost-effectively. The associated push-button covers are conveniently supplied as complete sets in 1- to 4-gang and are available as a neutral version or with arrow symbols.

JUNG



Assembling of the KNX push-button modules with integrated bus coupling unit



Assembling of the KNX push-button modules with integrated bus coupling unit and push-button extension module

A. JUNG GMBH & CO. KG
P.O. Box 13 20
D-58569 Schalksmühle
Germany
Phone: +49.2355.806553
Fax: +49.2355.806254
E-mail: mail.vka@jung.de
Internet: www.jung.de

For sales contacts in your
country see:
www.jung-salescontact.com

Further information about the intelligent
JUNG KNX system can be obtained on the
internet: you can experience the versatile
application possibilities in an animated resi-
dential building at www.jung-smart-housing.com.